CASEWORK DIRECTORATE

**2**002/007

19-JUN-2001 09:24

INCIDENT ROOM RF

Code A

P.01



# FAX

Major Crime Complex Kingston Crescent Police Station North End Portsmouth Hampshire PO2 8BU

TO TIP	THE CLOSE - SPS FROM DS Dave SACKMAN					
OF _			TEL	Code A	FAX	Code A
TEL	FAX {	Code A	DATE	19/6/01	OR [	
Pages (inc)	Acknowledgement	required please	TEL	Code A	FAX	plus Extension Numbers  Code A

Mr Cross.

Per Supt JAMES MOD Order by to forward the concerned briefing shows to you prior to who making moderns.

Presso forward a copy to my forward.

moreya.

Da- 5

**2**003/007

19-JUN-2001 09:25

INCIDENT ROOM RF

Code A

Code A

P.02

OPERATION ROCHESTER once last week

#### **BRIEFING NOTE**

(2) Cardiff - inquiry ink death of ported - nouse smilip

Following the conference of the 14<sup>th</sup> June I have consulted other SIO's who have used Professor LIVESLEY as an expert witness.

Red administral dehleraldy

I was provided with the best background information by Essex Police who have used him in two cases.

### 1. Deaths in nursing homes

In general terms this case concerns deaths where residents have been subject to a regime where the quantities of fluid taken each day have exceeded substantially the recommended levels leading to death through heart failure.

Generally about 1.5 litres of fluid per day is adequate to support older people to an appropriate level. In this case residents were being given up to 6 litres per day. Some of this fluid had high concentrations of salt (i.e. oxo) which requires the body to work harder to manage the fluid intake.

Professor LIVESLEY took the view that in all the circumstances those responsible should have recognised the potential outcome of excessive fluid intake – i.e. the risk of heart failure.

Seven deaths are subject of proceedings with a number of staff charged with manslaughter by gross negligence.

#### 2 .Deaths in Intensive care Unit

This case concerns up to 45 deaths in the ICU at Basildon hospital. One Doctor is alleged to have prescribed larger than appropriate quantities of morphine based drugs to patients who were to have medical support withdrawn. The outcome was the foreshortening of life of terminal patients.

The patients were a range of ages — but did include some geriatric cases.

This case is still under investigation.

Professor LIVESLEY provided an report that was unambiguous in its conclusions about the process.

Two other experts were used, a toxicologist and an ICU specialist, who also provided reports that were as unambiguous and worded as unequivocally as Professor LIVESLEY's.

3 10/14 yn
age
de sho he
paranediz
ulu gul
conful f
RNA.

**2**004/007

19-JUN-2001 09:25

INCIDENT ROOM RE

Code A

P.03

## **OPERATION ROCHESTER**

### **BRIEFING NOTE**

Following the conference of the 14<sup>th</sup> June I have consulted with a practising consultant concerning key elements of the report provided by Professor LIVESLEY.

The Consultant concerned is Dr MUNDY who is the consultant Gerlatrician at Frimley Park Hospital in Surrey.

I briefed Dr Mundy on the general chronology of events immediately preceding Mrs Richards death and asked for his comments.

He expressed concerns in two areas:

1. The pre-prescription of Diamorphine, Hyoscine and Medazolam, Given that Mrs Richards was already taking Oramorph he considered it was not appropriate to pre-prescribe drugs of these types. He would have expected that there would have been a review of the patient's response to oral drugs before the administration of the more powerful drugs was commenced.

He did make the observation that there would be grounds to deliver the morphine based drugs, and the use of a syringe driver was not inappropriate, where it had been determined at a review that this was the most efficient way to afford pain relief. No such review process appears to have taken place in Mrs Richards case.

He also observed that the switch from Oramorph (a drug taken orally) to the morphine based drugs (to be delivered subcutaneously) should have been determined by reference to formulae provided by the drugs suppliers which indicates the relative quantities required to deliver relief where the objective was to relieve the patients pain. Professor LIVESLEY may be able to comment on this Issue. There is no indication to my knowledge that the medical staff made use of such a formula.

2. On a more general point he expressed some concern that drugs were being delivered continuously via a syringe driver to a patient who did not have a clear terminal condition. His opinion was that there should be review processes that assess the adequacy of any drugs / treatment regime.

On a more general note, given the chronology of events as described, Dr Mundy asked whether or not Mrs Richards was suffering from any other condition which may have been significant i.e. breast cancer (his suggestion). He seemed surprised that no other condition was evident. I did not pursue this matter further — I was concerned not to lead him in any particular direction given his other comments.

**2**1005/007

19-JUN-2001 09:26 INCIDENT ROOM RE

Code A

P. 04

Professor Brian Livesley MD FRCP Code A

> pager tel-

Your ref: MIC/D Supt/JI/MK

18 June, 2001

Detective Superintendent John James Major Incident Complex Fratton Police Station Kingston Crescent, North End Portsmouth. Hampshire PQ2 8BU

Dear Detective Superintendent James

#### RE: OPERATION ROCHESTER

Thank you for your letter dated 5 June describing the current planning issues you are seeking to address in Operation Rochester and the principles we agreed to use.

In response to your request in paragraph five on page two of your letter, you will recall that during our recent telephone conversation I suggested that the Statisticians concerned with the Shipman Enquiry might be the most appropriate to approach for professional advice in relation to control sampling and cluster analysis.

In response to the second issue you raise in the following paragraph it may be helpful if some comments I made during our discussion on 31st May are detailed here. I cite now from MA Branthwaite's (2000) Law for Doctors. 1

# "Manslaughter by gross negligence

"It is arguable that deaths arising as a result of medical treatment can be distinguished from the usual case of homicide because it is the defendant's professional obligations which require him to deal with a pre-existing danger which is not of his own making. This philosophy lay behind the original definition of gross (ie criminal) negligence [R v Bateman (1925) LJKB 791] which required

- I. the existence of a duty of care
- 2 breach of the duty
- 3. death occurring as a consequence of the breach of duty
- 4. negligence which went beyond a mere matter of compensation between the parties.

Branthewaite MA. Law for Doctors: principles and practiculities. The Royal Society of Medicine Press Ltd. 2000, pp. 75-76.

Ø9:26

19-JUN-2001

INCIDENT ROOM RE

☑ 006/007

Code A P.1

"After some years when 'gross negligence' was regarded by the courts as synonymous with recklessness, the importance of specific criteria for a finding of gross negligence in the discharge of professional responsibilities was re-emphasised by the Court of Appeal in the course of three appeals, heard simultaneously, against convictions for manslaughter electrician, two junior doctors, and a locum anaesthetist. Two of the appeals succeeded but the third did not. The third appealant appealed, unsuccessfully, to the House of Lords [R v Adomako [1994] 5 Med LR 277] when the criteria for a finding of involuntary

manalaughter by breach of duty suggested by the Court of Appeal were confirmed as

- 7. the existence of a duty
- 8. breach of the duty causing death
- 9. gross negligence which the jury considered justified a criminal conviction.

"The third of these is the only one which differs in terminology, if not in meaning, from the original definition of 'gross negligence'. A jury is entitled to make a finding of gross negligence if evidence is adduced to show that the defendant

- was indifferent to an obvious risk of injury to health
- 11. had actual foresight of the risk but determined nevertheless to run it
- appreciated the risk and intended to avoid it but displayed such a high degree of negligence in the attempted avoidance as the jury considered justified conviction
- 13. displayed inattention or failure to advert to a serious risk which went beyond 'mere inadvertence' in respect of an obvious and important matter which the defendant's duty demanded he should address.

"Given these directions, it is the *jury* which decides whether the evidence suffices to fulfil one or more of the criteria and, if so, whether the charge of gross negligence has been made out."

For convenience I have numbered the bullets points made above by Branthwaite. Against this background I am of the firm opinion that in the case of Gladys RICHARDS (deceased) sufficient evidence has been adduced to make paragraphs 7, 8, 9 10, 11, & 13 operative and a formal case should be made to allow a jury to decide.

I will be using similar principles in my assessment of the further cases we discussed.

To avoid confusion can I also suggest that if we "identify patients at risk of being inappropriately treated [and categorise them, as 'high-risk']" it may be thought we are prejudging the issue. It may be helpful if the terms 'high-risk patient' and 'low-risk patient' are replaced with those that are more clearly associated with their condition on admission to the hospital. In this connection perhaps you will consider whether patients could be described as 'Type OS: (for Obviously Stable) admitted and dying having had a previously stable condition'; 'Type OT (for Obviously Terminal): admitted and then dying from a natural condition present on admission'; and, 'Type OU (for Obviously Unexpected): admitted and then death occurring naturally but unexpectedly.

**☑** 007/007

19-JUN-2001 09:27

INCIDENT ROOM RF

Code A

P.06

Type OS would include patients admitted for rehabilitation or continuing care with for example fractured ferms with a future for ongoing survival.

Type OT would include patients admitted for terminal care having suffered some catastrophic life-threatening condition for example cancer, a severe stroke (as opposed to a stroke for which some continuing survival may be expected), or chronic chest disease.

Type OU would include those patients dying suddenly and unexpectedly from for example a heart attack.

It may be that patients in each of the three groups may have been managed in the terminal stage in a manner similar to Gladys RICHARDS. In these circumstance the OS group would still be the care group but comments may be required later for some of those placed initially in the other two groups as to whether their terminal management had been appropriate.

The more detailed scrutiny of the relevant cases for the criteria you have detailed follows on from our discussions in page three of your letter of  $5^{th}$  June 2001.

The key elements in any scrutinised case include whether the delivery of drugs by syringe driver were or were not subject to recorded regular review of the patient's response to such treatment.

I am grateful for all your comments and am giving careful reflection to this whole matter.

In answer to your final question concerning my future fees. It may also be helpful for you to know that I have already been dealing with the Force in this matter as a Preferred Client. My previous hourly rate had already been discounted. If you wish I could continue to invoice at my previous rate of £250 per hour, alternatively, you may find my daily rate of £1750 more appropriate.

I look forward to hearing from you and to our further discussions when we meet as arranged with Counsel tomorrow.

This letter is being faxed to allow time for your consideration prior to our meeting tomorrow and will bring a hard copy with me for your file.

Yours sincerely

Code A

Brian Livesley