## Revised version dated 12 June 2009



Regulating doctors Ensuring good medical practice

## FITNESS TO PRACTISE PANEL HEARING

On 8 June – 21 August 2009 a Fitness to Practise Panel will consider the case of:

Dr Jane Ann BARTON	
<b>GMC Reference Num</b>	ber: Code A
Registered Address:	Code A

This case is being considered by a Fitness to Practise Panel applying the General Medical Council's Preliminary Proceedings Committee and Professional Conduct Committee (Procedure) Rules 1988

The hearing will commence at 09:30 at:

General Medical Council Third Floor 350 Euston Road London NW1 3JN

Type of case: New case of serious professional misconduct.

The case is expected to last 55 days. The Panel will not be sitting on 18 June and 23 July 2009.

Panel Members:	Mr A Reid, Chairman (Lay)
	Ms J Julien (Lay)
	Mrs P Mansell (Lay)
	Mr W Payne (Lay)
	Dr R Smith (Medical)
	· · · · · ·

Legal Assessor: Mr Francis Chamberlain

If you require any further information or assistance, please call Adjudication Management Section on 020 7189 5189, or visit the GMC website www.gmc-uk.org. If an emergency arises out of hours that may prevent your attendance at the required time please call 020 7189 5189 and leave a message. We will not be able to call you back at the time, but it will enable us to act on your message as soon as the office opens the next working day.

۰,

The Panel will inquire into the following allegation against Jane Ann Barton, BM BCh 1972 Oxford University:

	ʻ1. clini ("GV	al assistant in elderly	es you were a medical practitioner working as a y medicine at the Gosport War Memorial Hospital admitted and found proved
PITTOOK	<b>'2</b> .	a. i. Patie 5 January 1	ent A was admitted to Dryad Ward at the GWMH on 996 for long term care, Admitted and found proved
		Oramorphin dose range administere	een 5 and 10 January 1996 you prescribed te 5mg 5 times daily, as well as Diamorphine with a of 40 - 80 mg over a twentyfour hour period to be d subcutaneously ("SC") on a continuing daily basis, <b>nd found proved</b>
		dose range 40 - 80 mg t	I January 1996 you prescribed Diamorphine with a of 80 - 120 mg and Midazolam with a range of to be administered SC over a twentyfour hour period, <b>nd found proved</b>
		your directio	5 January 1996 a syringe driver was commenced at on containing 80 mg Diamorphine and 60 mg as well as Hyoscine Hydrobromide, <b>Admitted and</b> ed
		v. on 17 increased to found prove	January 1996 the dose of Diamorphine was 120 mg and Midazolam to 80 mg, <b>Admitted and</b> ed
		vi. on 18 addition to tł <b>proved</b>	January 1996 you prescribed 50 mg Nozinan in ne drugs already prescribed, <b>Admitted and found</b>
		b. In relation to and 2.a.iii.,	your prescriptions described in paragraphs 2.a.ii
		i. the lo Midazolam	west doses prescribed of Diamorphine and were too high,
		ii. the do	ose range was too wide,
		be administe	escription created a situation whereby drugs could red to Patient A which were excessive to the eds, <b>Admitted and found proved</b>
		c. The doses of 17 January 1996 we	f Diamorphine administered to the patient on 15 and ere excessive to the patient's needs,
			3

d. Your prescription described at paragraphs 2.a.vi.in combination with the other drugs already prescribed were excessive to the patient's needs,

e. Your actions in prescribing the drugs as described in paragraphs 2.a.ii., iii., iv., v., and vi. were, **Amended to read:** Your actions in prescribing the drugs as described in paragraphs 2.a.ii., iii., iv., v., and/or vi. were,

i. inappropriate,

ii. potentially hazardous, Admitted only in relation to head 2a iii and found proved

iii. not in the best interests of Patient A;

'3. a. ELSIE LAVENDER i. Patient B was admitted to Daedalus Ward at the GWMH on 22 February 1996, Admitted and found proved

ii. on 24 February 1996 you prescribed the patient Morphine Slow Release Tablets (MST) 10 mg twice a day, **Admitted and found proved** 

iii. on 26 February 1996 you increased the prescription for MST and prescribed Diamorphine with a dose range of 80 mg - 160 mgs and Midazolam with a dose range of 40 - 80 mg to be administered SC over a twentyfour hour period on a continuing daily basis, Admitted and found proved

iv. on 5 March 1996 you prescribed Diamorphine with a dose range of 100 - 200 mg and Midazolam with a dose range of 40 mg - 80 mg over a twentyfour hour period to be administered SC and a syringe driver was commenced containing Diamorphine 100 mg and Midazolam 40 mg, Admitted and found proved

b. In relation to your prescriptions for drugs described in paragraphs 3.a.iii. and iv.,

i. the lowest commencing doses prescribed on 26 February and 5 March 1996 of Diamorphine and Midazolam were too high,

ii. the dose range for Diamorphine and Midazolam on
26 February and on 5 March 1996 was too wide, Admitted and
found proved

iii. the prescriptions created a situation whereby drugs could be administered to Patient B which were excessive to the patient's needs, **Admitted and found proved** 

c. Your actions in prescribing the drugs described in paragraphs 3.a. ii., iii. and/or iv. were,

i. inappropriate,

## ii. potentially hazardous, Admitted only in relation to heads 3a iii and 3a iv and found proved

- iii. not in the best interests of Patient B,
- d. In relation to your management of Patient B you,

i. did not perform an appropriate examination and assessment of Patient B on admission,

ii. did not conduct an adequate assessment as Patient B's condition deteriorated,

iii. did not provide a plan of treatment,

iv. did not obtain the advice of a colleague when Patient B's condition deteriorated, Admitted and found proved

e. Your actions and omissions in relation to your management of patient B were,

- i. inadequate,
- ii. not in the best interests of Patient B;

'4. a. NUT KNOW

i. on 27 February 1998 Patient C was transferred to Dryad Ward at GWMH for palliative care, Admitted and found proved

ii. on 3 March 1998 you prescribed Diamorphine with a dose range of 20mg - 200mg and Midazolam with a dose range of 20-80mg to be administered SC over a twentyfour hour period on a continuing daily basis, **Admitted and found proved** 

b. In relation to your prescription for drugs described in paragraph 4.a.ii.,

i. the dose range of Diamorphine and Midazolam was too wide, Admitted and found proved

ii. the prescription created a situation whereby drugs could be administered to the patient which were excessive to the Patient C's needs, **Admitted and found proved** 

c. Your actions in prescribing the drugs described in paragraph 4.a. ii. were,

- i. inappropriate,
- ii. potentially hazardous, Admitted and found proved
- iii. not in the best interests of your patient;

5. a.

i. on 6 August 1998 Patient D was transferred to Daedalus Ward at GWMH for continuing care observation, Admitted and found proved

ii. on or before 20 August 1998 you prescribed Diamorphine with a dose range of 20mg - 200mg and Midazolam with a dose range of 20mg - 80mg to be administered SC over a twentyfour hour period on a continuing daily basis, **Admitted and found proved** 

b. In relation to your prescription for drugs as described in paragraph 5.a. ii.,

i. the dose range was too wide, Admitted and found proved

ii. the prescription created a situation whereby drugs could be administered to Patient D which were excessive to the patient's needs, **Admitted and found proved** 

c. Your actions in prescribing the drugs as described in paragraph 5.a.ii. were,

- i. inappropriate,
- ii. potentially hazardous, Admitted and found proved
- iii. not in the best interests of Patient D;

6. a. NOT KNOWN

i. Patient E was admitted to Daedalus Ward at GWMH on 11 August 1998 after an operation to repair a fractured neck of femur at the Royal Haslar Hospital, Admitted and found proved

ii. on 11 August 1998 you prescribed 10 mg Oramorphine 'prn' (as required), **Admitted and found proved**  iii. on 11 August 1998 you also prescribed Diamorphine with a dose range of 20 mg - 200 mg and Midazolam with a dose range of 20 mg - 80 mg to be administered SC over a twentyfour hour period on a continuing daily basis, **Admitted and found proved** 

b. In relation to your prescription for drugs described in paragraph 6.a.iii.,

i. the dose range was too wide, **Admitted and found** proved

ii. the prescription created a situation whereby drugs could be administered to Patient E which were excessive to the patient's needs, **Admitted and found proved** 

c. Your actions in prescribing the drugs described in paragraph 6.a. ii. and/or iii. were,

i. inappropriate,

ii. potentially hazardous, Admitted only in relation to head 6a iii and found proved

iii. not in the best interests of Patient E;

'7. a. (RUBY LAKE) i. Patient F was admitted to Dryad Ward at GWMH on 18 August 1998 for the purposes of rehabilitation following an operation to repair a fractured neck of femur at the Royal Haslar Hospital, Admitted and found proved

ii. on 18 August 1998 you prescribed Oramorphine 10 mg in 5 ml 'prn' (as required), **Admitted and found proved** 

iii. between 18 and 19 August 1998 you prescribed Diamorphine with a dose range of 20 - 200 mg and Midazolam with a dose range of 20 - 80 mg to be administered SC over a twenty-four hour period on a continuing daily basis, **Admitted and found proved** 

b. In relation to your prescription for drugs described in paragraph 7.a.iii.,

i. the dose range was too wide, **Admitted and found** proved

ii. the prescription created a situation whereby drugs could be administered to Patient F which were excessive to the patient's needs, **Admitted and found proved**  c. Your actions in prescribing the drugs described in paragraphs 7.a. ii. and/or iii. were,

i. inappropriate,

ii. potentially hazardous, Admitted only in relation to head 7a iii and found proved

iii. not in the best interests of Patient F;

i. Patient G was admitted to Dryad Ward at GWMH on **21 September 1998** with a painful sacral ulcer and other medical conditions, **Admitted and found proved** 

Vii. on 21 September 1998 you prescribed Diamorphine with a dose range of 20 - 200 mg and Midazolam with a dose range of 20 - 80 mg to be administered SC over a twentyfour hour period on a continuing daily basis, Admitted and found proved

iii. on 25 September 1998 you wrote a further prescription for Diamorphine with a dose range of 40 - 200mg and Midazolam with a dose range of 20 – 200mg to be administered subcutaneously over a twenty-four hour period on a continuing daily basis, **Admitted and found proved** 

b. In relation to your prescriptions for drugs described in paragraphs 8.a.ii. and/or iii.,

i. the dose range was too wide, **Admitted and found** proved

ii. the prescription created a situation whereby drugs could be administered to Patient G which were excessive to the patient's needs, **Admitted and found proved** 

c. Your actions in prescribing the drugs described in paragraphs 8.a.ii. and/or iii. were,

- i. inappropriate,
- ii. potentially hazardous, Admitted and found proved
- iii. not in the best interests of Patient G,

d. You did not obtain the advice of a colleague when Patient G's condition deteriorated; Admitted and found proved

9. a.
i. Patient H was admitted to Dryad Ward GWMH on
14 October 1998 for ongoing assessment and possible
rehabilitation suffering from a fracture of the left upper humerus,

ADBC

liver disease as a result of alcoholism and other medical conditions, **Admitted and found proved** 

ii. on 14 October 1998 you prescribed Oramorphine 10 mg in 5 ml, with a dose of 2.5 ml to be given every four hours thereafter as needed, following which regular doses of Oramorphine were administered to the patient, **Admitted and found proved** 

iii. on or before 16 October 1998 you prescribed Diamorphine with a dose range of 20 mgs - 200 mgs to be administered subcutaneously over a twentyfour hour period on a continuing daily basis, **Admitted and found proved** 

iv. on or before 17 October 1998 you prescribed Midazolam with a range of 20 mgs - 80 mgs to be administered SC over a twentyfour hour period on a continuing daily basis, **Admitted and found proved** 

b. In light of the Patient H's history of alcoholism and liver disease your decision to give this patient Oramorphine at the doses described in paragraph 9.a. ii. was, **Amended to read:** In light of Patient H's history of alcoholism and liver disease your decision to give this patient Oramorphine at the doses described in paragraph 9.a. ii. was,

- i inappropriate,
- ii. potentially hazardous,

iii. likely to lead to serious and harmful consequences for Patient H,

iv. not in the best interests of Patient H,

c. In relation to your prescription described in paragraph 9.a. iii.,

i. the dose range was too wide, **Admitted and found proved** 

ii. the prescription created a situation whereby drugs could be administered to Patient H which were excessive to the patient's needs, **Admitted and found proved** 

d. Your actions in prescribing the drugs described in paragraphs 9.a. ii., iii. and/or iv. were,

i. inappropriate,

ii. potentially hazardous, Admitted only in relation to heads 9a iii and 9a iv and found proved

ill. not in the best interests of Patient H.,

You did not obtain the advice of a colleague when Patient H's e. condition deteriorated; Admitted and found proved

a. i. Patient I was admitted to Dryad ward at GWMH on 26 March 1999 following her treatment for a fractured neck of ENID femur at the Haslar Hospital, Admitted and found proved SPULGAN

> ii. on 12 April 1999 you prescribed Diamorphine with a dose range of 20 - 200 mgs and Midazolam with a dose range of 20 - 80 mgs to be administered SC over a twentyfour hour period on a continuing daily basis, Admitted and found proved

> iii. on 12 April 1999 a syringe driver with 80 mgs Diamorphine and 20 mgs Midazolam over twenty-four hours was started under your direction but later the dose was reduced to 40 mgs by Dr Reid, Admitted and found proved

b. You did not properly assess Patient I upon admission. This was,

i. inadequate.

10.

ii. not in the best interests of Patient I.

In relation to your prescription for drugs described in paragraph C. 10.a.ii.,

i. the dose range was too wide, Admitted and found proved

ii. the prescription created a situation whereby drugs could be administered to Patient I which were excessive to the patient's needs, Admitted and found proved

d. Your actions in prescribing the drugs described in paragraph 10.a. ii. were.

- i. inappropriate,
- ii. potentially hazardous, Admitted and found proved
- iii. not in the best interests of Patient I,

The dosage you authorised/directed described in paragraph e. 10.a. iii. was excessive to Patient I's needs. This was,

- i. inappropriate,
- ii. potentially hazardous.

iii. not in the best interests of Patient I:

11.

Patient J was admitted to Dryad Ward at GWMH on a. i. 23 August 1999 following his treatment at the Queen Alexandra GEOFFLEM Hospital where the patient had been admitted as an emergency ACKMAN following a fall at home, Admitted and found proved

> ii. on 26 August 1999 you gave verbal permission for 10 mg of Diamorphine to be administered to Patient J. Admitted and found proved

iii. you saw Patient J that day and noted 'not well enough to transfer to the acute unit, keep comfortable, I am happy for nursing staff to confirm death', Admitted and found proved

iv. you did not consult with anyone senior to you about the future management of Patient J nor did you undertake any further investigations in relation to Patient J's condition, Admitted and found proved

V. on 26 August 1999 you prescribed Diamorphine with a dose range of 40 - 200 mg and Midazolam with a dose range of 20 - 80 mg to be administered SC over a twentyfour hour period on a continuing daily basis, Admitted and found proved

on 26 August 1999 you also prescribed Oramorphine vi. 20 mg at night' Admitted and found proved

b. In relation to your prescription for drugs described in paragraph 11.a.v.,

the lowest doses of Diamorphine and Midazolam i. prescribed were too high,

ii. the dose range was too wide, Admitted and found proved

iii. the prescription created a situation whereby drugs could be administered to Patient J which were excessive to the patient's needs, Admitted and found proved

Your actions in prescribing the drugs described in paragraphs C. 11.a. ii. and/or v. were,

i. inappropriate,

ii. potentially hazardous, Admitted only in relation to head 11a v and found proved

iii. not in the best interests of Patient J,

d. Your failure to obtain medical advice and/or undertake further investigation described in paragraph 11.a. iv. was,

i. inappropriate,

ii. not in the best interests of Patient J;

'12. a. ELSIE DEVINE i. Patient K was admitted to Dryad Ward at GWMH for continuing care on 21 October 1999 from Queen Alexandra Hospital. She was reported to be suffering from chronic renal failure and multi infarct dementia, **Admitted and found proved** 

ii. on admission you prescribed Morphine solution 10mg in 5 ml as required, **Admitted and found proved** 

iii. on 18 and 19 November 1999 there was a deterioration in the Patient K's condition and on 18 November 1999 you prescribed Fentanyl 25 µg by patch, **Amended to read:** on 18 and 19 November 1999 there was a deterioration in Patient K's condition and on 18 November 1999 you prescribed Fentanyl 25 µg by patch, **Admitted as amended and found proved** 

iv. on 19 November 1999 you prescribed Diamorphine with a dose range of 40 - 80 mg Midazolam with a dose range of 20 to 80 mg to be administered SC over a twentyfour hour period on a continuing daily basis, **Amended to read:** on 19 November 1999 you prescribed Diamorphine with a dose range of 40 - 80 mg **and** Midazolam with a dose range of 20 to 80 mg to be administered SC over a twentyfour hour period on a continuing daily basis, **Amended to read:** Advector at the second s

b. The prescription on admission described in paragraph 12.a.ii. was not justified by the patient's presenting symptoms,

c. In relation to your prescription for drugs described in paragraph 12.a.iv.,

i. the lowest doses of Diamorphine and Midazolam prescribed were too high,

ii. the dose range was too wide,

iii. the prescription created a situation whereby drugs could be administered to Patient K which were excessive to the patient's needs,

d. Your actions in prescribing the drugs described in paragraphs 12.a. ii., iii. and/or iv. were,

i inappropriate,

ii. potentially hazardous,

iii. not in the best interests of Patient K,

e. You did not obtain the advice of a colleague when Patient K's condition deteriorated; Admitted and found proved

'13. a.

NOT KNOWN i. Patient L was admitted to Daedalus Ward at GWMH on 20 May 1999 following a period of treatment at the Haslar Hospital for a stroke, **Admitted and found proved** 

ii. on 20 May 1999 you prescribed,

a. Oramorphine 10 mgs in 5 mls 2.5-5mls, Admitted and found proved

b. Diamorphine with a dose range of 20 to 200 mgs to be administered SC over a twenty-four hour period on a continuing daily basis, **Admitted and found proved** 

c. Midazolam with a dose range of 20 to 80 mgs to be administered SC, Admitted and found proved

iii. you further prescribed Oramorphine 10 mgs in 5 mls 4 times a day and 20 mgs nocte (at night) as a regular prescription to start on 21 May 1999, **Admitted and found proved** 

iv. doses of Oramorphine, Diamorphine and Midazolam were subsequently administered to the patient in 21 and 22 May 1999, **Amended to read:** doses of Oramorphine, Diamorphine and Midazolam were subsequently administered to the patient **on** 21 and 22 May 1999, **Admitted as amended and found proved** 

b. In relation to your prescription for drugs described in paragraph 13.a.ii. and/or iii.,

i. there was insufficient clinical justification for such prescriptions,

ii. the dose range of Diamorphine and Midazolam was too wide, Admitted and found proved

iii. the prescriptions created a situation whereby drugs could be administered which were excessive to the patient's needs, Admitted and found proved iv. your actions in prescribing the drugs described in paragraph 13.a. ii. and or iii. were,

a. Inappropriate,

## b. Potentially hazardous, **Admitted only in relation** to head 13a ii b and found proved

c. Not in the best interests of patient L,

c. You did not obtain the advice of a colleague when Patient L's condition deteriorated; **Admitted and found proved** 

<sup>14.</sup> a. You did not keep clear, accurate and contemporaneous notes in relation to Patients A, B, C, D, E, F, G, H, I, J K and/or L 's care and in particular you did not sufficiently record,

i. the findings upon each examination, Admitted and found proved  $\sim$ 

ii. an assessment of the patient's condition, **Admitted and found proved** 

iii. the decisions made as a result of examination, **Admitted** and found proved

iv. the drug regime,

v. the reason for the drug regime prescribed by you, **Admitted and found proved** 

vi. the reason for the changes in the drug regime prescribed and/or directed by you, **Admitted and found proved** 

b. Your actions and omissions in relation to keeping notes for Patients A, B, C, D, E, F, G, H, I, J, K and/or L were,

i. inappropriate, Admitted and found proved

ii. not in the best interests of your patients; **Admitted and found proved** 

<sup>15.</sup> a. In respect of the following patients you failed to assess their condition appropriately before prescribing opiates: Patients A, B, C, D, E, F, G, H, I, J, K, L, **Amended to read:** In respect of the following patients you failed to assess their condition appropriately before prescribing opiates: Patients A, B, C, D, E, F, G, H, I, J, K and/or L,

b. Your failure to assess the patients in paragraph a. appropriately before prescribing opiates was not in their best interests."

"And that in relation to the facts alleged you have been guilty of serious professional misconduct."

As at 12 June 2009 (CMC)

;