

GMC – v – DR JANE BARTON**CHRONOLOGY: PATIENT C – EVA PAGE****Date of Birth:** Code A

Date:	Event:	Source:	Page(s):	Comments:
30/4/97	Admitted to Queen Alexandra Hospital, following a collapse. Diagnosed with a reversible ischaemic neurological deficit. Commenced on aspirin. Discharged back to residential home on 7/5/97.	Correspondence Discharge summary Nursing notes Clinical notes	52-57 58 136-139 160-165	
6/2/98	Admitted to Queen Alexandra Hospital, Department of Medicine for Elderly People. Diagnosis includes probable carcinoma of the bronchus and depression.	Spell summary Patient profile Care plan Nursing notes X-ray report Clinical notes	202 207 228 232 290 296	

19/2/98	Transferred to Charles Ward, Queen Alexandra Hospital, under Dr Lord.	Transfer form Spell summary Care plan Nursing notes Clinical notes	196 198 218-230 235 302	
27/2/98	Transferred to Dryad Ward, GWMH. Reviewed by Dr Barton.	General information Significant events Nursing care plan Spell summary Clinical notes	166, 169 170 174-192 194 304	
	<p>Drug charts indicate:</p> <ul style="list-style-type: none"> • Oramorph: Dr Barton prescribes 2.5ml (5mg) PRN. • Thioridazine: Dr Barton prescribes 25mg PRN. • Dr Barton also prescribes digoxin, frusemide, ramipril, sotalol, sertraline and lactulose. 	Drug charts	272	

28/2/98	<p>Drug charts indicate:</p> <ul style="list-style-type: none"> • Oramorph: 5mg administered at 16.20. • Thioridazine: 25mg administered at 13.00. Further unclear dose then prescribed. • Heminevrin: Unclear dose prescribed. Administered at 22.00. 	<p>Significant events Nursing care plan Drug charts</p>	<p>170 174-192 272, 274, 276</p>	
1/3/98	<p>Drug charts indicate:</p> <ul style="list-style-type: none"> • Thioridazine: Two doses administered. • Heminevrin: One dose administered, then discontinued. 	<p>Nursing care plan Drug charts</p>	<p>181 276</p>	
2/3/98	<p>Seen by Dr Barton. Reviewed by Dr Lord.</p>	<p>Significant events Clinical notes</p>	<p>170 305</p>	

	<p>Drug charts/nursing notes indicate:</p> <ul style="list-style-type: none"> • Fentanyl: Dr Barton prescribes Fentanyl 25 patch x 5 days PRN. Patch administered at 08.00. • Diamorphine: Dr Barton prescribes 5mg. Administered at 08.00 and 15.00. • Thioridazine: One dose administered, then discontinued. 	<p>Significant events Drug charts</p>	<p>170 272, 276</p>	
Undated	<p>Drug charts indicate:</p> <ul style="list-style-type: none"> • Diamorphine: Dr Barton prescribes 20-200mg/24hrs (in daily review prescriptions, marked "PRN") by subcutaneous infusion. • Midazolam: Dr Barton prescribes 20-80mg/24hrs (in daily review prescriptions, marked "PRN") by subcutaneous infusion. • Hyoscine: Dr Barton prescribes 200-800µg/24hrs (in daily review prescriptions, marked "PRN") by subcutaneous infusion. 	<p>Drug charts</p>	<p>278</p>	
3/3/98	<p>Drug charts indicate:</p> <ul style="list-style-type: none"> • Diamorphine: 20mg/24hrs administered from 10.50. • Midazolam: 20mg/24hrs administered from 10.50. 	<p>Drug charts</p>	<p>278</p>	

	Death recorded at 21.30.	Significant events Nursing care plan Clinical notes	171 181 306	
--	--------------------------	---	-------------------	--