Other Document Form	Numl
110 LETTER PROF LIVESLEY TO DOUTT TAMES RE PA	TIEK

Tit (Include source and any document number if relevant) Receivers instructions urgent action Yes (No Receiver

Document registered / indexed as indicated			
No(s) of actions raised			
Statement readers instructions		Code A	
Indexed as indicated	(		
No(s) of actions raised			
Examined - further action to be taken	O/M	SIO	
Further actions no(s)		Indexer	
When satisfied all action raised Office Manager to endorse other Document Master Number Form.			

## Professor Brian Livesley MD FRCP Code A

pager tel: fax: email:

Code A

19 June, 2001

Detective Superintendent John James Major Incident Complex Fratton Police Station Kingston Crescent, North End Portsmouth Hampshire PQ2 8BU Your ref: MIC/D.Supt/JJ/MK

Dear Detective Superintendent James

## **RE: OPERATION ROCHESTER**

Thank you for your letter dated 5 June describing the current planning issues you are seeking to address in Operation Rochester and the principles we agreed to use.

In response to your request in paragraph five on page two of your letter, you will recall that during our recent telephone conversation I suggested that the Statisticians concerned with the Shipman Enquiry might be the most appropriate to approach for professional advice in relation to control sampling and cluster analysis.

To avoid confusion can I suggest that if we "identify patients at risk of being inappropriately treated [and categorise them, as 'high-risk']" it may be thought we are prejudging the issue. It may be helpful if the terms 'high-risk patient' and 'low-risk patient' are replaced with those that are more clearly associated with their condition on admission to the hospital. In this connection perhaps you will consider whether patients could be described as 'Type OS: (for Obviously Stable) admitted and dying having had a previously stable condition'; 'Type OT (for Obviously Terminal): admitted and then dying from a natural condition present on admission'; and, 'Type OU (for Obviously Unexpected): admitted and then death occurring naturally but unexpectedly.

Type OS would include patients admitted for rehabilitation or continuing care with for example fractured femur with a future for ongoing survival.

Type OT would include patients admitted for terminal care having suffered some catastrophic life-threatening condition for example cancer, a severe stroke (as opposed to a stroke for which some continuing survival may be expected), or chronic chest disease.

Type OU would include those patients dying suddenly and unexpectedly from for example a heart attack.

Let. to D.Supt. J James 19<sup>th</sup> June 2001 Page 1 of 2 It may be that patients in each of the three groups may have been managed in the terminal stage in a manner similar to Gladys RICHARDS. In these circumstance the OS group would still be the core group but comments may be required later for some of those placed initially in the other two groups as to whether their terminal management had been appropriate.

The more detailed scrutiny of the relevant cases for the criteria you have detailed in page three of your letter of  $5^{th}$  June 2001 follows on from our discussions.

I am grateful for all your comments and am giving careful reflection to this whole matter.

Yours sincerely

Code A

Brian Livesley